



Safety Data Sheet

Classified in accordance with SOR/2015-17

1. Product Identification

Product Information:	61105, 61106
Product Identifier:	Penetrate HD
Recommended Use:	Not Known
Manufacturer/Importer/Supplier Information:	NU-CALGON WHOLESALER, INC. 2611 SCHUETZ ROAD ST. LOUIS, MO 63043 800-554-5499 / +1-314-469-7000
Emergency Telephone:	1-800-424-9300
Restrictions on Use:	None

2. Hazard(s) identification

Classification

Aerosol, category 3
Aspiration Hazard, category 1
Skin Irritation, category 2
Skin Sensitizer, category 1
Eye Irritation, category 2A
Carcinogenicity, category 2

Label elements

HAZARD PICTOGRAMS



SIGNAL WORD

Danger

GHS HAZARD STATEMENTS

H229	Pressurized container: may burst if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.

GHS PRECAUTIONARY STATEMENTS

Prevention

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing dust, fumes, gas, mist, vapours, or spray.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves, eye protection, face protection, and protective clothing

Response

P301+P310+P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

Storage

P405	Store locked up.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122°F.

Disposal

P501	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
------	--

Other Information

None

3. Composition/Information on Ingredients**Mixtures**

<u>Chemical Identity</u>	<u>Common Name and Synonyms</u>	<u>CAS Number</u>	<u>Content in Percent (%)*</u>
Distillates (petroleum), Hydrotreated Heavy Naphthenic [$<3\%$ DMSO]		64742-52-5	10-30
Distillates, Petroleum, Hydrotreated Light Naphthenic		64742-53-6	10-30
Distillates (Petroleum), Hydrotreated Light		64742-47-8	10-30
Solvent naphtha (petroleum), light arom.		64742-95-6	5-10
1,2,4-trimethylbenzene		95-63-6	3-7
Oils, pine		8002-09-3	3-7
Terpineol		8000-41-7	3-7
2-Butoxyethanol		111-76-2	1-5
1,3,5-trimethylbenzene		108-67-8	1-5
sec-Butyl Alcohol		78-92-2	1-5
Carbon Dioxide		124-38-9	0.5-1.5
Diacetone Alcohol		123-42-2	0.5-1.5

Cumene	98-82-8	0.1-1.0
Dipentene	138-86-3	0.1-1.0

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition Comments: Other components are not hazardous or are below required disclosure limits.

The exact concentration has been withheld as a trade secret.

4. First-aid Measures

SKIN CONTACT: Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention. Wash skin thoroughly with soap and water for several minutes. If irritation occurs, get medical attention. Wash contact area thoroughly with soap and water. Get medical attention if irritation or rash develops or persists. Remove contaminated clothing. Launder clothing before re-use.

EYE CONTACT: Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention. Flush eyes with plenty of water for 15 minutes, while holding the eyelids apart. Check victim for contact lenses and remove if present. Get medical attention if irritation persists.

INHALATION: Move to fresh air.

INGESTION: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. Keep the victim calm and warm. Do NOT induce vomiting. If conscious, rinse mouth with water. Never give anything by mouth to an unconscious or convulsing person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs. Get immediate medical attention.

IMPORTANT SYMPTOMS: Suspected of causing cancer. Aspiration hazard: Harmful or fatal if swallowed. May cause severe eye irritation. May cause skin irritation. May cause allergic skin reaction (sensitization.)

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: Get medical attention if symptoms occur. Immediate medical attention is required for ingestion.

5. Fire-fighting Measures

EXTINGUISHING MEDIA: Use fire-extinguishing media appropriate for surrounding materials.

UNSUITABLE EXTINGUISHING MEDIA: Do not use water jet as an extinguisher, as this will spread the fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Pressurized container may explode when exposed to heat or flame.

SPECIAL FIREFIGHTING PROCEDURES: No data available

6. Accidental Release Measures

PERSONAL PRECAUTIONS : No data available

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP: Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.

ENVIRONMENTAL PRECAUTIONS: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

7. Handling and Storage

HANDLING: Wear personal protective equipment.

SAFE HANDLING ADVICE: Observe good industrial hygiene practices.

STORAGE: No data available

NFPA 30B: Aerosol Level 3

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

<u>Chemical Name</u>	<u>TLV-TWA</u>	<u>TLV-STEL</u>	<u>PEL-TWA</u>	<u>PEL-CEILING</u>
Distillates (petroleum), Hydrotreated Heavy Naphthenic [<3% DMSO]	5 mg/m3	N.E.	500 ppm	N.E.

Distillates, Petroleum, Hydrotreated Light Naphthenic	5 mg/m3	N.E.	5 mg/m3	N.E.
Distillates (Petroleum), Hydrotreated Light	200 mg/m3	N.E.	N.E.	N.E.
Solvent naphtha (petroleum), light arom.	N.E.	N.E.	N.E.	N.E.
1,2,4-trimethylbenzene	25 ppm	N.E.	N.E.	N.E.
Oils, pine	N.E.	N.E.	N.E.	N.E.
Terpineol	N.E.	N.E.	N.E.	N.E.
2-Butoxyethanol	20 ppm	N.E.	50 ppm	N.E.
1,3,5-trimethylbenzene	25 ppm	N.E.	N.E.	N.E.
sec-Butyl Alcohol	100 ppm	N.E.	150 ppm	N.E.
Carbon Dioxide	5,000 ppm	30000 ppm	5000 ppm	N.E.
Diacetone Alcohol	50 ppm	N.E.	50 ppm	N.E.
Cumene	50 ppm	N.E.	50 ppm	N.E.
Dipentene	N.E.	N.E.	N.E.	N.E.

**Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation
Sk = Skin Sensitizer N.E. = Not Established**

ENGINEERING CONTROLS: Provide adequate ventilation.

Personal Protection

EYE/FACE PROTECTION: Wear goggles/face shield. Chemical safety goggles should be worn where contact is possible.

SKIN PROTECTION: Wear impervious gloves to prevent skin contact.

RESPIRATORY PROTECTION: Seek advice from local supervisor. In case of inadequate ventilation use suitable respirator.

HYGIENIC PRACTICES: General industrial hygiene practice.

9. Physical and Chemical Properties

Appearance:

Physical State:	Liquid
Form:	Spray Aerosol
Color:	Red
Odor:	Solvent
Odor Threshold:	No data available
pH:	No data available
Freeze Point, °C:	No data available
Boiling Point, °C:	98
Flash Point, °C:	Not applicable to aerosols
Flammability (solid, gas):	Non-flammable Aerosol
Evaporation Rate:	No data available
Combustibility:	Does not Support Combustion
Explosive Limits, %:	0.6 - 10.6
Vapor Pressure @20°C, PSI:	50 - 60
Relative Vapor Density:	Heavier than Air
Relative Density:	0.878
Solubility in Water:	No data available
Partition Coefficient, n-octanol/water:	No data available
Auto-Ignition Temperature, °C:	No data available
Decomposition temperature, °C:	No data available
Kinematic Viscosity:	< 14 mm ² /s or cSt
Particle Characteristics:	
Size Range, microns (µm):	No data available
Percent under 10 microns:	No data available

10. Stability and Reactivity

REACTIVITY: Not reactive under normal conditions of use.

STABILITY: Material is stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: No data available

CONDITIONS TO AVOID: Avoid heat or contamination

INCOMPATIBILITY: No data available

HAZARDOUS DECOMPOSITION PRODUCTS: No data available

11. Toxicological Information

Information on Likely Routes of Exposure

SKIN CONTACT EFFECTS: May cause irritation, drying, defatting of the skin and dermatitis. May cause an allergic skin reaction (sensitization) with itching, redness and hives.

EYE CONTACT EFFECTS: Contact may cause severe irritation with redness, tearing and pain.

INHALATION EFFECTS: Inhalation of high concentrations of mists may cause irritation of the nose throat and upper respiratory tract.

INGESTION EFFECTS: Aspiration into the lungs during ingestion or vomiting may cause serious lung damage which may be fatal.

The following Chemicals are listed on IARC Monographs on the Evaluation of Carcinogenic Risk to Humans:

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>IARC Listing</u>
64742-52-5	Distillates (petroleum), Hydrotreated Heavy Naphthenic [<lt;3% dmso]<="" td=""> <td>IARC Group 1,</td> </lt;3%>	IARC Group 1,
64742-53-6	Distillates, Petroleum, Hydrotreated Light Naphthenic	IARC Group 1,
98-82-8	Cumene	IARC Group 2B,

The following Chemicals are listed on the U.S. National Toxicology Program (NTP) Report on Carcinogens:

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>NTP Listing</u>
64742-52-5	Distillates (petroleum), Hydrotreated Heavy Naphthenic [<lt;3% dmso]<="" td=""> <td>NTP Known Human Carcinogen</td> </lt;3%>	NTP Known Human Carcinogen
64742-53-6	Distillates, Petroleum, Hydrotreated Light Naphthenic	NTP Known Human Carcinogen
98-82-8	Cumene	NTP Reasonably Anticipated to be Human Carcinogen

The following Chemicals are listed on U.S. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>OSHA Listing</u>
64742-52-5	Distillates (petroleum), Hydrotreated Heavy Naphthenic [<lt;3% dmso]<="" td=""> <td>Present</td> </lt;3%>	Present
64742-53-6	Distillates, Petroleum, Hydrotreated Light Naphthenic	Present
98-82-8	Cumene	Present

The following values are calculated based on chapter 3.1 of the GHS document. The product itself has not been tested.

<u>ATE ORAL</u>	3,723 mg/kg
<u>ATE DERMAL</u>	3,418 mg/kg
<u>ATE INHALATION</u>	144 mg/kg

Acute Toxicity Values

The acute effects of this product have not been tested. Data on individual components are tabulated below

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>Oral LD50</u>	<u>Dermal LD50</u>	<u>Vapor LC50</u>
64742-52-5	Distillates (petroleum), Hydrotreated Heavy Naphthenic [<lt;3% dmso]<="" td=""> <td>5,000 mg/kg</td> <td>2,000 mg/kg</td> <td>100 mg/l</td> </lt;3%>	5,000 mg/kg	2,000 mg/kg	100 mg/l
64742-53-6	Distillates, Petroleum, Hydrotreated Light Naphthenic	5,000 mg/kg	5,000 mg/kg	100 mg/l
64742-47-8	Distillates (Petroleum), Hydrotreated Light	5,000 mg/kg	5000 mg/kg	>100 mg/l
64742-95-6	Solvent naphtha (petroleum), light arom.	5,000 mg/kg	6,000 mg/kg	100 mg/l
95-63-6	1,2,4-trimethylbenzene	6,000 mg/kg	3,440 mg/kg	18 mg/L Rat
8002-09-3	Oils, pine	5,000 mg/kg	5,000 mg/kg	100 mg/l
8000-41-7	Terpineol	2,000 mg/kg	2,000 mg/kg	100 mg/l
111-76-2	2-Butoxyethanol	500 mg/kg	1100 mg/kg	11 mg/l
108-67-8	1,3,5-trimethylbenzene	6,000 mg/kg	5,000 mg/kg	100 mg/l
78-92-2	sec-Butyl Alcohol	5000 mg/kg	5000 mg/kg	100 mg/l
124-38-9	Carbon Dioxide	5000 mg/kg	5000 mg/kg	100 mg/l
123-42-2	Diacetone Alcohol	5000 mg/kg	5000 mg/kg	100 mg/l

98-82-8	Cumene		2,260 mg/kg	3,160 mg/kg	100 mg/l
138-86-3	Dipentene		5,000 mg/kg	5,000 mg/kg	100 mg/l

N.I. = No Information

Skin Corrosion & Irritation:

Product: No data available

Components:

1,2,4-trimethylbenzene	95-63-6	Causes skin irritation.
2-Butoxyethanol	111-76-2	Causes skin irritation.
Oils, pine	8002-09-3	Causes skin irritation.
Terpineol	8000-41-7	Causes skin irritation.

Serious Eye Damage & Irritation:

Product: No data available

Components:

1,2,4-trimethylbenzene	95-63-6	Causes serious eye irritation.
sec-Butyl Alcohol	78-92-2	Causes serious eye irritation.
Diacetone Alcohol	123-42-2	Causes serious eye irritation.
2-Butoxyethanol	111-76-2	Causes serious eye irritation.
Terpineol	8000-41-7	Causes serious eye irritation.

Respiratory or Skin Sensitization:

Product: No data available

Components:

Oils, pine	8002-09-3	May cause an allergic skin reaction.
Dipentene	138-86-3	May cause an allergic skin reaction.

STOT-Single Exposure:

Product: No data available

STOT-Repeated Exposure:

Product: No data available

Aspiration Hazard:

Product: No data available

Components:

Distillates, Petroleum, Hydrotreated Light Naphthenic	64742-53-6	May be fatal if swallowed and enters airways.
Solvent naphtha (petroleum), light arom.	64742-95-6	May be fatal if swallowed and enters airways.
Distillates (Petroleum), Hydrotreated Light	64742-47-8	May be fatal if swallowed and enters airways.
Oils, pine	8002-09-3	May be fatal if swallowed and enters airways.

Carcinogenicity:

Product: No data available

Components:

Cumene	98-82-8	Suspected of causing cancer
--------	---------	-----------------------------

Reproductive Toxicity:

Product: No data available

Germ Cell Mutagenicity:

Product: No data available

12. Ecological Information

ECOLOGICAL INFORMATION: No data available

PERSISTENCE: No data available

BIOACCUMULATE: No data available

MOBILITY IN SOIL: No data available

OTHER ECOLOGICAL: No data available

13. Disposal Information

DISPOSAL INFORMATION: Consult with your local, regional and federal agencies for information on proper disposal.

CONTAMINATED PACKAGING : Consult with your local, regional and federal agencies for information on proper disposal.

14. Transport Information

SPECIAL TRANSPORT PRECAUTIONS: No data available

TDG

UN Number:	UN1950
Proper Shipping Name:	AEROSOLS, NON-FLAMMABLE
Technical Name:	N/A
Hazard Class(es)	
Class:	2.2
Subsidiary Risk	N/A
Packing Group:	N/A

IATA

UN Number:	UN1950
Proper Shipping Name:	AEROSOLS, NON-FLAMMABLE
Technical Name:	N/A
Hazard Class(es)	
Class:	2.2
Subsidiary Risk:	N/A
Packing Group:	N/A

IMDG

UN Number:	UN1950
Proper Shipping Name:	AEROSOLS, NON-FLAMMABLE
Technical Name:	N/A
Hazard Class(es)	
Class:	2.2
Subsidiary Risk:	N/A
Packing Group:	N/A

The classification shown in this section may be eligible for use of an exception, such as 'Limited Quantity', per the dangerous goods regulations. The shipper of this product should consult the applicable mode's regulation for the UN number displayed above to determine if any exceptions are available and may be utilized, at the shipper's discretion.

15. Regulatory Information

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

Chemical Name	CAS-No.	Wt %
1,2,4-trimethylbenzene	95-63-6	5.90
2-Butoxyethanol	111-76-2	4.02
sec-Butyl Alcohol	78-92-2	2.03
Cumene	98-82-8	0.20

CHEMICAL INVENTORY STATUS:

TSCA	On or in compliance with the inventory
DSL	All ingredients in this product are listed on the DSL or are exempt.

16. Other Information

Revision Date:	8/8/2025
Datasheet produced by:	Regulatory Department

Legend

N/A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

TLV - Threshold Limit Values (TLVs®), as established by the American Conference of Governmental Industrial Hygienists (ACGIH®)

PEL - Permissible Exposure Limit, as established by the U.S. Occupational Safety and Health Administration (OSHA), as amended

TSCA - U.S. Toxic Substance Control Act

DSL - Canada Environmental Protection Act: Domestic Substance List

This information is being provided in accordance with the Hazardous Products Regulations (HPR) regulation (SOR/2015-17). The information supplied is designed for workplaces where the product use and frequency of exposure exceeds that established for the labeled consumer use.

Further Information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the manufacturer's and seller's control. Purchaser and user are responsible for determining the suitability of the product for a particular purpose, adopting precautions for the protection of property and persons, and compliance with all Federal, State, Provincial, and Local laws.